

Entrust SD260 Direct-to-Card ID Printer

HIGHLIGHTS

High quality, high value

The SD260 card printer delivers outstanding print quality, reliability, easy operation, and efficiency in a small footprint. SD Series printers outperform in their categories so you can do the same in yours. Whether you need a more secure workplace or a convenient solution for customer, student, or staff identification, SD Series card printers are the affordable way to print cards for many types of applications, including:

- Corporate IDs
- Healthcare IDs
- Student, visitor, or staff IDs
- Retail, hospitality, and loyalty cards
- Local government IDs
- Visitor IDs

KEY FEATURES & BENEFITS

Dozens of great innovations in one card printer family

The SD260 one-sided card printer is packed with industry-leading innovations that make desktop ID card printing simple and economical. As part of the SD Series card printer family, the SD260 is ideal for businesses, schools, hospitals, fitness clubs, and anyone who batch-issues ID cards as part of their busy workday. With competitive features and price, SD Series printers are a great value.

- Superior speed and productivity.
 Print more cards in less time. SD Series printers are significantly faster than any other desktop card printers in their class.

 And TruePick™ anti-jam card handling accurately picks cards standard and thin with no adjustments.
- Superb image quality for high-impact IDs. TrueMatch™ printing technology – an industry exclusive – ensures the colors on your screen closely match the colors on your card. Batch after batch, you get consistently crisp, clean printing results from the first card to the last.
- Easy operation that anyone can master.
 Intuitive icons guide you through the soft-touch control panel and LCD screen.
 Cards and supplies are easy to load, and the ergonomically designed ribbon cartridge includes a drop-in cleaning roller.
- All the right connections for easy setup.
 Standard USB/Ethernet ports and the
 browser-based Printer Manager help you
 integrate SD Series printers into third party applications as well as existing
 systems.



Entrust SD260 Direct-to-Card ID Printer

STANDARD FEATURES AND SPECIFICATIONS

| Print technology | Direct-to-card dye-sublimation/resin thermal transfer |
|---------------------|---|
| Print capabilities | One-sided, edge-to-edge printing; manual two-sided printing Full-color and monochrome printing Alphanumeric text, logos, and digitized signatures; 1D/2D bar code images Printer pooling/sharing UV printing Rewrite capability |
| Print resolution | 300 dots per inch, 256 shades per color panel High-quality mode: 300 x 600 dots per inch; enhanced text, bar code, and graphics printing 300 x 1200 dots per inch; enhanced text and bar code printing |
| Print speed** | Full-color printing: up to 200 cards per hour, one-sided (YMCKT*); up to 155 cards per hour, two-sided (YMCKT-K*) Monochrome: up to 830 cards per hour, one-sided (black HQ*) |
| Card capacity | Automatic feed: 100-card input for 0.030 in. (0.76 mm) cards; 25-card output standard Manual feed: 1-card input; 5-card output for 0.030 in. (0.76 mm) |
| Physical dimensions | L 15.38 in. x W 6.69 in. x H 8.69 in. (39.0 cm x 17.0 cm x 22.1 cm) SD260L (long body with smart card): L 21.2 in. x W 6.9 in. x H 8.8 in. (53.9 cm x 17.5 cm x 22.4 cm) SD260S (short body with smart card): L 17.56 in. x W 6.69 in. x H 8.69 in. (44.6 cm x 17.0 cm x 22.1 cm) |
| Weight | 8.1 lbs (3.7 kg) (depending on options) SD260L (long body with smart card): 12.0 lbs (5.4 kg) (depending on options) SD260S: 14 lbs (6.4 kg) |
| Connectivity | Bidirectional USB 2.0 high speed; Ethernet 10 Base-T/100-Base-TX (with activity light) |
| Warranties | 36-month standard depot warranty; 36-month printhead warranty (no pass restrictions). Full warranty details can be found in printer documentation kit. For India and South Asia, 18-month standard depot warranty; 12-month print head warrant.y |





Entrust SD260 Direct-to-Card ID Printer

PRINTER OPTIONS

Magnetic stripe encoding

Smart card

personalization

Field upgradable

ISO 7811 three-track option (high- and low-coercivity)

JIS Type II single-track option

Support for standard and custom data formats

Factory options

SD260L:

Single Wire DUALi Smart Card Contact/Contactless Reader/Encoder Loosely Coupled, Identive Smart Card Contact/Contactless Reader/Encoder

SD260S

Loosely Coupled, Identive Smart Card Contact/Contactless Reader/Encoder

Field upgradable options

SD260L:

Loosely Coupled, Third-party OEM Smart Card Option-Ready Hardware (for contactless reader

only - encoder not included)

Loosely Coupled, Third-party OEM Smart Card Option-Ready Hardware (for contact readers only

encoder not included)

Loosely Coupled, Identive Smart Card Contact/Contactless Reader/Encoder

Loosely Coupled, pcProx Plus reader (read-only)

Single Wire, DUALi Smart Card Contact/Contactless Reader/Encoder

Loosely Coupled, iCLASS by HID Contactless Smart Card Encoder (read-write)

SD260S:

Loosely Coupled, Third-party OEM Smart Card Option-Ready Hardware (for contactless readers only -

encoder not included)

Loosely Coupled, Third-party OEM Smart Card Option-Ready Hardware (for contact readers only -

encoder not included)

Loosely Coupled, Identive Smart Card Contact/Contactless Reader/Encoder

Loosely Coupled, pcProx Plus reader (read-only)

Loosely Coupled, iCLASS by HID Contactless Smart Card Encoder (read-write)

Supports the personalization of EMV level 1 compliant cards

End-user upgradable options

Extended 200-card input hopper Extended 100-card output hopper KL-style security lock for printer

Note: Specifications subject to change without notice.

ABOUT ENTRUST CORPORATION

Entrust keeps the world moving safely by enabling trusted identities, payments, and data protection. Today more than ever, people demand seamless, secure experiences, whether they're crossing borders, making a purchase, accessing e-government services, or logging into corporate networks. Entrust offers an unmatched breadth of digital security and credential issuance solutions at the very heart of all these interactions. With more than 2,500 colleagues, a network of global partners, and customers in over 150 countries, it's no wonder the world's most entrusted organizations trust us.













^{*}Ribbon type and number of panels; Y=Yellow, M=Magenta, C=Cyan, K=Black, T=Inline Topcoat, HQ=High Quality

^{**}Print speeds will vary depending on ribbon type used and image being printed.